

GENERAL POPULATION SURVEYS

Indicator (variable)	Measure	Last data available		Source
		2016 г.	2020 г.	
Use of tobacco (cigarettes, cigars, pipes)				
Adults (aged 15-64) with at least one use of tobacco in their lifetime	number	2 936 000 - 3 081 000	2 842 000 - 2 975 000	NFP
Proportion of adults (aged 15-64) with at least one use of tobacco in their lifetime	%	63.4 - 66.6	64.4 - 67.4	
Adults (aged 15-64) with at least one use of tobacco in the last year	number	2 400 000 - 2 552 000	2 163 000 - 2 303 000	
Proportion of adults (aged 15-64) with at least one use of tobacco in the last year	%	51.9 - 55.1	49.0 - 52.2	
Adults (aged 15-64) with at least one use of tobacco in the last 30 days	number	2 294 000 - 2 446 000	2 097 000 - 2 237 000	
Proportion of adults (aged 15-64) with at least one use of tobacco in the last 30 days	%	49.6 - 52.8	47.5 - 50.7	
Adults (aged 15-64) with at least one use of tobacco in the last 24 hours	number	1 918 000 - 2 062 000	1 930 000 - 2 069 000	
Proportion of adults (aged 15-64) with at least one use of tobacco in the last 24 hours	%	41.4 - 44.6	43.7 - 46.9	
Adults (aged 15-64) with use of more than 20 cigarettes each day in the last 30 days	number	349 000 - 438 000	320 000 - 403 000	
Proportion of adults (aged 15-64) with use of more than 20 cigarettes each day in the last 30 days	%	7.5 - 9.4	7.3 - 9.1	
Use of electronic cigarettes			2020 г.	
Adults (aged 15-64) with at least one use of electronic cigarettes in their lifetime	number		1 570 000 - 1 705 000	NFP
Proportion of adults (aged 15-64) with at least one use of electronic cigarettes in their lifetime	%		35.6 - 38.6	
Adults (aged 15-64) with at least one use of electronic cigarettes in the last year	number		642 000 - 744 000	
Proportion of adults (aged 15-64) with at least one use of electronic cigarettes in the last year	%		14.5 - 16.9	
Adults (aged 15-64) with at least one use of electronic cigarettes in the last 30 days	number		145 000 - 199 000	
Proportion of adults (aged 15-64) with at least one use of electronic cigarettes in the last 30 days	%		3.3 - 4.5	
Use of heated tobacco products (HTP)			2020 г.	
Adults (aged 15-64) with at least one use of HTP in their lifetime	number		311 000 - 386 000	NFP
Proportion of adults (aged 15-64) with at least one use of HTP in their lifetime	%		7.0 - 8.8	
Adults (aged 15-64) with at least one use of HTP in the last year	number		178 000 - 239 000	
Proportion of adults (aged 15-64) with at least one use of HTP in the last year	%		4.0 - 5.4	
Adults (aged 15-64) with at least one use of HTP in the last 30 days	number		65 000 - 103 000	
Proportion of adults (aged 15-64) with at least one use of HTP in the last 30 days	%		1.5 - 2.3	
Use of hookah			2020 г.	
Adults (aged 15-64) with at least one use of hookah in their lifetime	number		900 000 - 1 015 000	NFP
Proportion of adults (aged 15-64) with at least one use of hookah in their lifetime	%		20.4 - 23.0	
Adults (aged 15-64) with at least one use of hookah in the last year	number		416 000 - 502 000	
Proportion of adults (aged 15-64) with at least one use of hookah in the last year	%		9.4 - 11.4	
Adults (aged 15-64) with at least one use of hookah in the last 30 days	number		137 000 - 190 000	
Proportion of adults (aged 15-64) with at least one use of hookah in the last 30 days	%		3.1 - 4.3	

Use of alcohol		2016	2020	
Adults (aged 15-64) with at least one use of alcohol in their lifetime	number	3 760 000 - 3 871 000	3 574 000 - 3 681 000	NFP
Proportion of adults (aged 15-64) with at least one use of alcohol in their lifetime	%	81.2 - 83.6	81.0 - 83.4	
Adults (aged 15-64) with at least one use of alcohol in the last year	number	3 461 000 - 3 584 000	3 217 000 - 3 341 000	
Proportion of adults (aged 15-64) with at least one use of alcohol in the last year	%	74.8 - 77.4	72.9 - 75.7	
Adults (aged 15-64) with at least one use of alcohol in the last 30 days	number	3 066 000 - 3 201 000	2 745 000 - 2 880 000	
Proportion of adults (aged 15-64) with at least one use of alcohol in the last 30 days	%	66.2 - 69.2	62.2 - 65.3	
Adults (aged 15-64) reported having been drunk (intoxicated) in the last year	number	947 000 - 1 071 000	775 000 - 884 000	
Proportion of adults (aged 15-64) reported having been drunk (intoxicated) in the last year	%	20.5 - 23.1	17.6 - 20.0	
Use of drugs (total) [1]		2016	2020	
Adults (aged 15-64) with at least one use of drugs in their lifetime	number	384 000 - 467 000	378 000 - 461 000	NFP
Proportion of adults (aged 15-64) with at least one use of drugs in their lifetime	%	8.3 - 10.1	8.6 - 10.4	
Males (aged 15-64) with at least one use of drugs in their lifetime	number	277 000 - 326 000	217 000 - 261 000	
Proportion of males (aged 15-64) with at least one use of drugs in their lifetime	%	11.8 - 13.9	9.7 - 11.7	
Females (aged 15-64) with at least one use of drugs in their lifetime	number	107 000 - 141 000	161 000 - 200 000	
Proportion of females (aged 15-64) with at least one use of drugs in their lifetime	%	4.6 - 6.1	7.4 - 9.2	
Young adults (aged 15-34) with at least one use of drugs in their lifetime	number	297 000 - 364 000	247 000 - 308 000	
Proportion of young adults (aged 15-34) with at least one use of drugs in their lifetime	%	18.5 - 22.7	16.9 - 21.1	
Males (aged 15-34) with at least one use of drugs in their lifetime	number	207 000 - 246 000	131 000 - 162 000	
Proportion of males (aged 15-34) with at least one use of drugs in their lifetime	%	24.9 - 29.6	17.4 - 21.6	
Females (aged 15-34) with at least one use of drugs in their lifetime	number	90 000 - 118 000	116 000 - 146 000	
Proportion of females (aged 15-34) with at least one use of drugs in their lifetime	%	11.5 - 15.0	16.4 - 20.6	
Adults (aged 15-64) with at least one use of drugs in the last year	number	183 000 - 243 000	113 000 - 162 000	
Proportion of adults (aged 15-64) with at least one use of drugs in the last year	%	3.9 - 5.3	2.6 - 3.7	
Males (aged 15-64) with at least one use of drugs in the last year	number	136 000 - 175 000	64 000 - 90 000	
Proportion of males (aged 15-64) with at least one use of drugs in the last year	%	5.8 - 7.4	2.9 - 4.0	
Females (aged 15-64) with at least one use of drugs in the last year	number	47 000 - 68 000	49 000 - 72 000	
Proportion of females (aged 15-64) with at least one use of drugs in the last year	%	2.0 - 2.9	2.3 - 3.3	
Young adults (aged 15-34) with at least one use of drugs in the last year	number	156 000 - 210 000	82 000 - 122 000	
Proportion of young adults (aged 15-34) with at least one use of drugs in the last year	%	9.7 - 13.1	5.6 - 8.3	
Males (aged 15-34) with at least one use of drugs in the last year	number	117 000 - 150 000	39 000 - 60 000	
Proportion of males (aged 15-34) with at least one use of drugs in the last year	%	14.1 - 17.9	5.2 - 7.9	
Females (aged 15-34) with at least one use of drugs in the last year	number	39 000 - 60 000	43 000 - 62 000	
Proportion of females (aged 15-34) with at least one use of drugs in the last year	%	5.0 - 7.5	6.0 - 8.8	
Adults (aged 15-64) with at least one use of drugs in the last 30 days	number	101 000 - 147 000	44 000 - 76 000	
Proportion of adults (aged 15-64) with at least one use of drugs in the last 30 days	%	2.2 - 3.2	1.0 - 1.7	
Males (aged 15-64) with at least one use of drugs in the last 30 days	number	73 000 - 101 000	19 000 - 34 000	
Proportion of males (aged 15-64) with at least one use of drugs in the last 30 days	%	3.1 - 4.3	0.8 - 1.5	

Females (aged 15-64) with at least one use of drugs in the last 30 days	number	28 000 - 46 000	25 000 - 42 000	NFP
Proportion of females (aged 15-64) with at least one use of drugs in the last 30 days	%	1.2 - 2.0	1.1 - 1.9	
Young adults (aged 15-34) with at least one use of drugs in the last 30 days	number	85 000 - 127 000	29 000 - 54 000	
Proportion of young adults (aged 15-34) with at least one use of drugs in the last 30 days	%	5.3 - 7.9	2.0 - 3.7	
Males (aged 15-34) with at least one use of drugs in the last 30 days	number	60 000 - 86 000	8 000 - 18 000	
Proportion of males (aged 15-34) with at least one use of drugs in the last 30 days	%	7.3 - 10.2	1.1 - 2.4	
Females (aged 15-34) with at least one use of drugs in the last 30 days	number	25 000 - 41 000	21 000 - 36 000	
Proportion of females (aged 15-34) with at least one use of drugs in the last 30 days	%	3.1 - 5.2	3.0 - 5.0	
Use of cannabis		2016	2020	
Adults (aged 15-64) with at least one use of cannabis in their lifetime	number	344 000 - 424 000	342 000 - 422 000	NFP
Proportion of adults (aged 15-64) with at least one use of cannabis in their lifetime	%	7.4 - 9.2	7.8 - 9.6	
Males (aged 15-64) with at least one use of cannabis in their lifetime	number	248 000 - 298 000	197 000 - 236 000	
Proportion of males (aged 15-64) with at least one use of cannabis in their lifetime	%	10.5 - 12.7	8.8 - 10.6	
Females (aged 15-64) with at least one use of cannabis in their lifetime	number	96 000 - 126 000	145 000 - 186 000	
Proportion of females (aged 15-64) with at least one use of cannabis in their lifetime	%	4.2 - 5.5	6.7 - 8.5	
Young adults (aged 15-34) with at least one use of cannabis in their lifetime	number	264 000 - 329 000	232 000 - 291 000	
Proportion of young adults (aged 15-34) with at least one use of cannabis in their lifetime	%	16.5 - 20.5	15.9 - 20.0	
Males (aged 15-34) with at least one use of cannabis in their lifetime	number	183 000 - 221 000	121 000 - 152 000	
Proportion of males (aged 15-34) with at least one use of cannabis in their lifetime	%	22.1 - 26.6	16.1 - 20.2	
Females (aged 15-34) with at least one use of cannabis in their lifetime	number	81 000 - 108 000	111 000 - 139 000	
Proportion of females (aged 15-34) with at least one use of cannabis in their lifetime	%	10.4 - 13.9	15.6 - 19.7	
Adults (aged 15-64) with at least one use of cannabis in the last year	number	166 000 - 223 000	83 000 - 127 000	
Proportion of adults (aged 15-64) with at least one use of cannabis in the last year	%	3.6 - 4.8	1.9 - 2.9	
Males (aged 15-64) with at least one use of cannabis in the last year	number	123 000 - 157 000	47 000 - 70 000	
Proportion of males (aged 15-64) with at least one use of cannabis in the last year	%	5.2 - 6.7	2.1 - 3.1	
Females (aged 15-64) with at least one use of cannabis in the last year	number	43 000 - 66 000	36 000 - 57 000	
Proportion of females (aged 15-64) with at least one use of cannabis in the last year	%	1.9 - 2.9	1.6 - 2.6	
Young adults (aged 15-34) with at least one use of cannabis in the last year	number	142 000 - 192 000	68 000 - 104 000	
Proportion of young adults (aged 15-34) with at least one use of cannabis in the last year	%	8.8 - 12.0	4.6 - 7.1	
Males (aged 15-34) with at least one use of cannabis in the last year	number	105 000 - 135 000	34 000 - 52 000	
Proportion of males (aged 15-34) with at least one use of cannabis in the last year	%	12.5 - 16.2	4.5 - 6.9	
Females (aged 15-34) with at least one use of cannabis in the last year	number	37 000 - 57 000	34 000 - 52 000	
Proportion of females (aged 15-34) with at least one use of cannabis in the last year	%	4.8 - 7.3	4.8 - 7.3	
Adults (aged 15-64) with at least one use of cannabis in the last 30 days	number	93 000 - 138 000	34 000 - 60 000	
Proportion of adults (aged 15-64) with at least one use of cannabis in the last 30 days	%	2.0 - 3.0	0.7 - 1.4	
Males (aged 15-64) with at least one use of cannabis in the last 30 days	number	66 000 - 92 000	16 000 - 29 000	
Proportion of males (aged 15-64) with at least one use of cannabis in the last 30 days	%	2.8 - 3.9	0.7 - 1.3	
Females (aged 15-64) with at least one use of cannabis in the last 30 days	number	27 000 - 46 000	18 000 - 31 000	
Proportion of females (aged 15-64) with at least one use of cannabis in the last 30 days	%	1.2 - 2.0	0.8 - 1.4	
Young adults (aged 15-34) with at least one use of cannabis in the last 30 days	number	81 000 - 121 000	23 000 - 47 000	
Proportion of young adults (aged 15-34) with at least one use of cannabis in the last 30 days	%	5.0 - 7.6	1.6 - 3.2	

Males (aged 15-34) with at least one use of cannabis in the last 30 days	number	57 000 - 81 000	8 000 - 18 000	NFP
Proportion of males (aged 15-34) with at least one use of cannabis in the last 30 days	%	6.8 - 9.7	1.1 - 2.4	
Females (aged 15-34) with at least one use of cannabis in the last 30 days	number	24 000 - 40 000	15 000 - 29 000	
Proportion of females (aged 15-34) with at least one use of cannabis in the last 30 days	%	3.1 - 5.2	2.2 - 4.0	
Use of cocaine		2016	2020	
Adults (aged 15-64) with at least one use of cocaine in their lifetime	number	28 000 - 55 000	68 000 - 108 000	NFP
Proportion of adults (aged 15-64) with at least one use of cocaine in their lifetime	%	0.6 - 1.2	1.5 - 2.4	
Males (aged 15-64) with at least one use of cocaine in their lifetime	number	21 000 - 38 000	45 000 - 66 000	
Proportion of males (aged 15-64) with at least one use of cocaine in their lifetime	%	0.9 - 1.6	2.0 - 2.9	
Females (aged 15-64) with at least one use of cocaine in their lifetime	number	7 000 - 17 000	23 000 - 42 000	
Proportion of females (aged 15-64) with at least one use of cocaine in their lifetime	%	0.3 - 0.7	1.0 - 1.9	
Young adults (aged 15-34) with at least one use of cocaine in their lifetime	number	18 000 - 40 000	40 000 - 69 000	
Proportion of young adults (aged 15-34) with at least one use of cocaine in their lifetime	%	1.1 - 2.5	2.7 - 4.8	
Males (aged 15-34) with at least one use of cocaine in their lifetime	number	12 000 - 25 000	20 000 - 34 000	
Proportion of males (aged 15-34) with at least one use of cocaine in their lifetime	%	1.5 - 3.1	2.6 - 4.6	
Females (aged 15-34) with at least one use of cocaine in their lifetime	number	6000 - 15 000	20 000 - 35 000	
Proportion of females (aged 15-34) with at least one use of cocaine in their lifetime	%	0.7 - 1.9	2.8 - 4.9	
Adults (aged 15-64) with at least one use of cocaine in the last year	number	6 000 - 22 000	14 000 - 35 000	
Proportion of adults (aged 15-64) with at least one use of cocaine in the last year	%	0.1 - 0.5	0.3 - 0.8	
Young adults (aged 15-34) with at least one use of cocaine in the last year	number	2 200 - 14 000	10 000 - 28 000	
Proportion of young adults (aged 15-34) with at least one use of cocaine in the last year	%	0.1 - 0.9	0.7 - 1.9	
Use of amphetamines		2016	2020	
Adults (aged 15-64) with at least one use of amphetamines in their lifetime	number	52 000 - 87 000	74 000 - 115 000	NFP
Proportion of adults (aged 15-64) with at least one use of amphetamines in their lifetime	%	1.1 - 1.9	1.7 - 2.6	
Males (aged 15-64) with at least one use of amphetamines in their lifetime	number	38 000 - 61 000	47 000 - 69 000	
Proportion of males (aged 15-64) with at least one use of amphetamines in their lifetime	%	1.6 - 2.6	2.1 - 3.1	
Females (aged 15-64) with at least one use of amphetamines in their lifetime	number	14 000 - 26 000	27 000 - 46 000	
Proportion of females (aged 15-64) with at least one use of amphetamines in their lifetime	%	0.6 - 1.1	1.2 - 2.1	
Young adults (aged 15-34) with at least one use of amphetamines in their lifetime	number	42 000 - 73 000	48 000 - 80 000	
Proportion of young adults (aged 15-34) with at least one use of amphetamines in their lifetime	%	2.6 - 4.6	3.3 - 5.5	
Males (aged 15-34) with at least one use of amphetamines in their lifetime	number	32 000 - 51 000	25 000 - 41 000	
Proportion of males (aged 15-34) with at least one use of amphetamines in their lifetime	%	3.9 - 6.1	3.3 - 5.5	
Females (aged 15-34) with at least one use of amphetamines in their lifetime	number	10 000 - 22 000	23 000 - 39 000	
Proportion of females (aged 15-34) with at least one use of amphetamines in their lifetime	%	1.3 - 2.8	3.3 - 5.5	
Adults (aged 15-64) with at least one use of amphetamines in the last year	number	20 000 - 44 000	20 000 - 44 000	
Proportion of adults (aged 15-64) with at least one use of amphetamines in the last year	%	0.4 - 1.0	0.5 - 1.0	
Males (aged 15-64) with at least one use of amphetamines in the last year	number	14 000 - 28 000	12 000 - 25 000	
Proportion of males (aged 15-64) with at least one use of amphetamines in the last year	%	0.6 - 1.2	0.6 - 1.1	
Females (aged 15-64) with at least one use of amphetamines in the last year	number	6 000 - 16 000	8 000 - 19 000	
Proportion of females (aged 15-64) with at least one use of amphetamines in the last year	%	0.3 - 0.7	0.4 - 0.9	

Young adults (aged 15-34) with at least one use of amphetamines in the last year	number	18 000 - 40 000	11 000 - 29 000	NFP
Proportion of young adults (aged 15-34) with at least one use of amphetamines in the last year	%	1.1 - 2.5	0.8 - 2.0	
Males (aged 15-34) with at least one use of amphetamines in the last year	number	13 000 - 26 000	4 000 - 12 000	
Proportion of males (aged 15-34) with at least one use of amphetamines in the last year	%	1.5 - 3.1	0.5 - 1.6	
Females (aged 15-34) with at least one use of amphetamines in the last year	number	5 000 - 14 000	7 000 - 17 000	
Proportion of females (aged 15-34) with at least one use of amphetamines in the last year	%	0.6 - 1.7	1.1 - 2.5	
Use of ecstasy		2016	2020	
Adults (aged 15-64) with at least one use of ecstasy in their lifetime	number	77 000 - 118 000	40 000 - 74 000	NFP
Proportion of adults (aged 15-64) with at least one use of ecstasy in their lifetime	%	1.7 - 2.5	0.9 - 1.7	
Males (aged 15-64) with at least one use of ecstasy in their lifetime	number	58 000 - 83 000	21 000 - 38 000	
Proportion of males (aged 15-64) with at least one use of ecstasy in their lifetime	%	2.5 - 3.5	0.9 - 1.7	
Females (aged 15-64) with at least one use of ecstasy in their lifetime	number	19 000 - 35 000	19 000 - 36 000	
Proportion of females (aged 15-64) with at least one use of ecstasy in their lifetime	%	0.8 - 1.5	0.8 - 1.6	
Young adults (aged 15-34) with at least one use of ecstasy in their lifetime	number	62 000 - 98 000	26 000 - 51 000	
Proportion of young adults (aged 15-34) with at least one use of ecstasy in their lifetime	%	3.9 - 6.1	1.8 - 3.5	
Males (aged 15-34) with at least one use of ecstasy in their lifetime	number	46 000 - 68 000	8 000 - 18 000	
Proportion of males (aged 15-34) with at least one use of ecstasy in their lifetime	%	5.6 - 8.2	1.1 - 2.4	
Females (aged 15-34) with at least one use of ecstasy in their lifetime	number	16 000 - 30 000	18 000 - 33 000	
Proportion of females (aged 15-34) with at least one use of ecstasy in their lifetime	%	2.1 - 3.8	2.6 - 4.5	
Adults (aged 15-64) with at least one use of ecstasy in the last year	number	43 000 - 75 000	4 000 - 17 000	
Proportion of adults (aged 15-64) with at least one use of ecstasy in the last year	%	0.9 - 1.6	0.1 - 0.4	
Males (aged 15-64) with at least one use of ecstasy in the last year	number	32 000 - 52 000	1 800 - 8 000	
Proportion of males (aged 15-64) with at least one use of ecstasy in the last year	%	1.4 - 2.2	0.1 - 0.4	
Females (aged 15-64) with at least one use of ecstasy in the last year	number	11 000 - 23 000	2 200 - 9 000	
Proportion of females (aged 15-64) with at least one use of ecstasy in the last year	%	0.5 - 1.0	0.1 - 0.4	
Young adults (aged 15-34) with at least one use of ecstasy in the last year	number	35 000 - 64 000	4 000 - 16 000	
Proportion of young adults (aged 15-34) with at least one use of ecstasy in the last year	%	2.2 - 4.0	0.2 - 1.1	
Males (aged 15-34) with at least one use of ecstasy in the last year	number	27 000 - 45 000	1 000 - 6 000	
Proportion of males (aged 15-34) with at least one use of ecstasy in the last year	%	3.3 - 5.4	0.1 - 0.8	
Females (aged 15-34) with at least one use of ecstasy in the last year	number	8 000 - 19 000	3 000 - 10 000	
Proportion of females (aged 15-34) with at least one use of ecstasy in the last year	%	1.1 - 2.5	0.4 - 1.4	
Use of opioids (heroin, methadone, morphine)		2016	2020	
Adults (aged 15-64) with at least one use of opioids in their lifetime	number	14 000 - 35 000	38 000 - 68 000	NFP
Proportion of adults (aged 15-64) with at least one use of opioids in their lifetime	%	0.3 - 0.8	0.9 - 1.5	
Young adults (aged 15-34) with at least one use of opioids in their lifetime	number	9 000 - 26 000	16 000 - 37 000	
Proportion of young adults (aged 15-34) with at least one use of opioids in their lifetime	%	0.6 - 1.6	1.1 - 2.5	
Adults (aged 15-64) with at least one use of opioids in the last year	number	6 000 - 22 000	11 000 - 31 000	
Proportion of adults (aged 15-64) with at least one use of opioids in the last year	%	0.1 - 0.5	0.3 - 0.7	
Young adults (aged 15-34) with at least one use of opioids in the last year	number	4 300 - 18 000	6 400 - 21 000	
Proportion of young adults (aged 15-34) with at least one use of opioids in the last year	%	0.3 - 1.1	0.4 - 1.5	

SURVEYS AMONG SPECIFIC GROUPS

Indicator (variable)	Measure	Last data available		Source
		2015	2019	
Use of tobacco (cigarettes) among students aged 15-16		2015	2019	
Proportion of students (total) with at least one use of cigarettes in their lifetime	%	55.0	50.0	ESPAD
Proportion of students (boys) with at least one use of cigarettes in their lifetime	%	51.0	45.0	
Proportion of students (girls) with at least one use of cigarettes in their lifetime	%	60.0	54.0	
Proportion of students (total) with at least one use of cigarettes in the last 30 days	%	33.0	32.0	
Proportion of students (boys) with at least one use of cigarettes in the last 30 days	%	30.0	27.0	
Proportion of students (girls) with at least one use of cigarettes in the last 30 days	%	37.0	36.0	
Proportion of students (total) with daily cigarette use in the last 30 days	%	25.0	22.0	
Proportion of students (boys) with daily cigarette use in the last 30 days	%	23.0	19.0	
Proportion of students (girls) with daily cigarette use in the last 30 days	%	28.0	25.0	
Proportion of students (total) with at least one use of electronic cigarettes in their lifetime	%		36.0	
Proportion of students (boys) with at least one use of electronic cigarettes in their lifetime	%		38.0	
Proportion of students (girls) with at least one use of electronic cigarettes in their lifetime	%		35.0	
Proportion of students (total) with at least one use of electronic cigarettes in the last 30 days	%		13.0	
Proportion of students (boys) with at least one use of electronic cigarettes in the last 30 days	%		14.0	
Proportion of students (girls) with at least one use of electronic cigarettes in the last 30 days	%		13.0	
Use of alcohol among students aged 15-16		2015	2019	
Proportion of students (total) with at least one use of alcohol in their lifetime	%	86.0	82.0	ESPAD
Proportion of students (boys) with at least one use of alcohol in their lifetime	%	88.0	82.0	
Proportion of students (girls) with at least one use of alcohol in their lifetime	%	85.0	82.0	
Proportion of students (total) with at least one use of alcohol in the last 30 days	%	59.0	53.0	
Proportion of students (boys) with at least one use of alcohol in the last 30 days	%	60.0	57.0	
Proportion of students (girls) with at least one use of alcohol in the last 30 days	%	57.0	50.0	
Proportion of students (total) reported having been intoxicated with alcohol in the last 30 days	%	17.0	16.0	
Proportion of students (boys) reported having been intoxicated with alcohol in the last 30 days	%	20.0	18.0	
Proportion of students (girls) reported having been intoxicated with alcohol in the last 30 days	%	14.0	15.0	
Frequency of alcohol intake among students (total) in the last 30 days	mean number	7.0	6.4	
Frequency of alcohol intake among students (boys) in the last 30 days	mean number	8.6	7.4	
Frequency of alcohol intake among students (girls) in the last 30 days	mean number	5.1	5.4	
Use of drugs among students aged 15-16		2015	2019	
Proportion of students (total) with at least one use of drugs in their lifetime	%	30.0	19.0	ESPAD
Proportion of students (boys) with at least one use of drugs in their lifetime	%	32.0	19.0	
Proportion of students (girls) with at least one use of drugs in their lifetime	%	27.0	19.0	

Proportion of students (total) with at least one use of cannabis in their lifetime	%	27.0	17.0	ESPAD
Proportion of students (boys) with at least one use of cannabis in their lifetime	%	29.0	17.0	
Proportion of students (girls) with at least one use of cannabis in their lifetime	%	25.0	17.0	
Proportion of students (total) with at least one use of cannabis in the last 30 days	%	12.0	7.1	
Proportion of students (boys) with at least one use of cannabis in the last 30 days	%	15.0	8.0	
Proportion of students (girls) with at least one use of cannabis in the last 30 days	%	10.0	6.2	
Proportion of students (total) with at least one use of cocaine in their lifetime	%	5.0	3.1	
Proportion of students (boys) with at least one use of cocaine in their lifetime	%	6.0	3.7	
Proportion of students (girls) with at least one use of cocaine in their lifetime	%	3.0	2.6	
Proportion of students (total) with at least one use of amphetamines in their lifetime	%	6.0	3.1	
Proportion of students (boys) with at least one use of amphetamines in their lifetime	%	7.0	3.2	
Proportion of students (girls) with at least one use of amphetamines in their lifetime	%	6.0	3.0	
Proportion of students (total) with at least one use of methamphetamines in their lifetime	%	5.0	2.2	
Proportion of students (boys) with at least one use of methamphetamines in their lifetime	%	6.0	2.4	
Proportion of students (girls) with at least one use of methamphetamines in their lifetime	%	4.0	2.1	
Proportion of students (total) with at least one use of ecstasy in their lifetime	%	5.0	2.6	
Proportion of students (boys) with at least one use of ecstasy in their lifetime	%	6.0	2.6	
Proportion of students (girls) with at least one use of ecstasy in their lifetime	%	4.0	2.6	
Proportion of students (total) with at least one use of hallucinogens in their lifetime	%	4.0	2.4	
Proportion of students (boys) with at least one use of hallucinogens in their lifetime	%	6.0	2.7	
Proportion of students (girls) with at least one use of hallucinogens in their lifetime	%	3.0	2.1	
Proportion of students (total) with at least one use of heroin in their lifetime	%	3.0	1.7	
Proportion of students (boys) with at least one use of heroin in their lifetime	%	5.0	2.2	
Proportion of students (girls) with at least one use of heroin in their lifetime	%	2.0	1.3	
Proportion of students (total) with at least one use of new psychoactive substances in their lifetime	%	8.0	3.2	
Proportion of students (boys) with at least one use of new psychoactive substances in their lifetime	%	10.0	3.1	
Proportion of students (girls) with at least one use of new psychoactive substances in their lifetime	%	7.0	3.2	
Proportion of students (total) with at least one use of new psychoactive substances in the last 30 days	%	6.0	2.9	
Proportion of students (boys) with at least one use of new psychoactive substances in the last 30 days	%	6.0	3.1	
Proportion of students (girls) with at least one use of new psychoactive substances in the last 30 days	%	5.0	2.5	
Use of tobacco (cigarettes, cigars, pipes) among university students		2014	2018	
Proportion of students with at least one use of tobacco in their lifetime	%	65.1	65.7	NFP
Proportion of students with at least one use of tobacco in the last year	%	53.7	55.0	
Proportion of students with at least one use of tobacco in the last 30 days	%	46.9	50.1	
Proportion of students with at least one use of tobacco in the last 24 hours	%	37.3	42.7	
Use of alcohol (beer, wine, concentrate) among university students				
Proportion of students with at least one use of alcohol in their lifetime	%	92.7	89.2	NFP
Proportion of students with at least one use of alcohol in the last year	%	86.9	83.2	
Proportion of students with at least one use of alcohol in the last 30 days	%	77.6	72.7	
Proportion of students with at least one use of alcohol in the last 24 hours	%	22.9	24.4	
Proportion of students reported having been intoxicated with alcohol in the last year	%	52.4	41.7	

Use of drugs among university students [1]		2014	2018	
Students with at least one use of drugs in their lifetime	number	66 000 - 71 000	42 000 - 46 000	NFP
Proportion of students with at least one use of drugs in their lifetime	%	36.2	25.2	
Students with at least one use of drugs in the last year	number	42 000 - 47 000	20 000 - 23 000	
Proportion of students with at least one use of drugs in the last year	%	23.6	12.3	
Students with at least one use of drugs in the last 30 days	number	24 000 - 27 000	10 000 - 12 000	
Proportion of students with at least one use of drugs in the last 30 days	%	13.5	6.3	
Proportion of students with at least one use of cannabis in the last 30 days	%	11.8	5.6	
Proportion of students with at least one use of amphetamines in the last 30 days	%	1.8	0.6	
Proportion of students with at least one use of new psychoactive substances in their lifetime	%	3.3	1.7	
Use of drugs among prisoners [2]		2015	2019	
Prisoners with at least one use of drugs in their lifetime prior to imprisonment	number	1 900 - 2 100	2 400 - 2 600	NFP
Proportion of prisoners with at least one use of drugs in their lifetime prior to imprisonment	%	25.9	37.8	
Proportion of prisoners with at least one use of cannabis in their lifetime prior to imprisonment	%	20.5	31.1	
Proportion of prisoners with at least one use of cocaine in their lifetime prior to imprisonment	%	12.2	19.6	
Proportion of prisoners with at least one use of amphetamines in their lifetime prior to imprisonment	%	12.5	19.1	
Proportion of prisoners with at least one use of hallucinogens in their lifetime prior to imprisonment	%	6.6	12.6	
Proportion of prisoners with at least one use of opioids in their lifetime prior to imprisonment	%	10.9	13.6	
Proportion of prisoners with at least one use of NPS in their lifetime prior to imprisonment	%	1.8	9.4	
Prisoners with at least one use of drugs in the last year prior to imprisonment	number	1 100 - 1 300	1 300 - 1 500	
Proportion of prisoners with at least one use of drugs in the last year prior to imprisonment	%	15.9	21.4	
Proportion of prisoners with at least one use of cannabis in the last year prior to imprisonment	%	11.4	15.5	
Proportion of prisoners with at least one use of cocaine in the last year prior to imprisonment	%	5.3	9.5	
Proportion of prisoners with at least one use of amphetamines in the last year prior to imprisonment	%	6.5	8.4	
Proportion of prisoners with at least one use of hallucinogens in the last year prior to imprisonment	%	2.7	5.3	
Proportion of prisoners with at least one use of opioids in the last year prior to imprisonment	%	6.4	6.9	
Proportion of prisoners with at least one use of NPS in the last year prior to imprisonment	%	1.5	5.1	
Prisoners with at least one use of drugs in their lifetime inside prison	number	500 - 650	800 - 1 000	
Proportion of prisoners with at least one use of drugs in their lifetime inside prison	%	7.4	13.4	
Proportion of prisoners with at least one use of cannabis in their lifetime inside prison	%	5.4	10.2	
Proportion of prisoners with at least one use of cocaine in their lifetime inside prison	%	2.7	4.9	
Proportion of prisoners with at least one use of amphetamines in their lifetime inside prison	%	3.0	6.5	
Proportion of prisoners with at least one use of hallucinogens in their lifetime inside prison	%	2.2	4.1	
Proportion of prisoners with at least one use of opioids in their lifetime inside prison	%	3.6	5.0	
Proportion of prisoners with at least one use of NPS in their lifetime inside prison	%	1.9	4.2	
Prisoners with at least one use of drugs in the last year inside prison	number	400 - 520	500 - 650	
Proportion of prisoners with at least one use of drugs in the last year inside prison	%	5.8	8.7	
Proportion of prisoners with at least one use of cannabis in the last year inside prison	%	4.1	6.4	
Proportion of prisoners with at least one use of cocaine in the last year inside prison	%	2.3	2.9	
Proportion of prisoners with at least one use of amphetamines in the last year inside prison	%	2.5	3.7	
Proportion of prisoners with at least one use of hallucinogens in the last year inside prison	%	1.9	2.7	

Proportion of prisoners with at least one use of opioids in the last year inside prison	%	2.8	3.2	NFP
Proportion of prisoners with at least one use of NPS in the last year inside prison	%	1.8	2.6	
Prisoners with at least one use of drugs in the last 30 days inside prison	number	270 - 390	330 - 450	
Proportion of prisoners with at least one use of drugs in the last 30 days inside prison	%	4.2	5.8	
Proportion of prisoners with at least one use of cannabis in the last 30 days inside prison	%	2.8	3.5	
Proportion of prisoners with at least one use of cocaine in the last 30 days inside prison	%	1.7	1.4	
Proportion of prisoners with at least one use of amphetamines in the last 30 days inside prison	%	1.9	1.6	
Proportion of prisoners with at least one use of hallucinogens in the last 30 days inside prison	%	1.4	1.8	
Proportion of prisoners with at least one use of opioids in the last 30 days inside prison	%	2.1	1.7	
Proportion of prisoners with at least one use of NPS in the last 30 days inside prison	%	1.3	1.6	
Use of drugs in recreational settings		2016	2020	
Proportion of adults (aged 15-64) with at least one use of drugs in the last year at a disco/club	%	3.3	1.6	NFP
Proportion of adults (aged 15-64) with at least one use of drugs in the last year at a restaurant/pub	%	2.8	0.7	

AGE AT FIRST USE OF DRUGS				
Indicator (variable)	Measure	2016	2020	Source
Mean age at first use of marijuana among adults (aged 15-64)	years	19	19	NFP
Mean age at first use of cocaine among adults (aged 15-64)	years	22	21	
Mean age at first use of amphetamines among adults (aged 15-64)	years	19	19	
Mean age at first use of methamphetamines among adults (aged 15-64)	years	18	21	
Mean age at first use of ecstasy among adults (aged 15-64)	years	19	19	
Mean age at first use of LSD among adults (aged 15-64)	years	20	17	
Mean age at first use of heroin among adults (aged 15-64)	years	18	20	
Mean age at first use of inhalants among adults (aged 15-64)	years	13	17	

HIGH-RISK DRUG USE				
Indicator (variable)	Measure	2016	2020	Source
Adults (aged 15-64) with high-risk drug use [3]	number	31 244 (19 500 - 43 000)	31 634 (19 744 - 43 523)	NFP
Proportion of adults (aged 15-64) with high-risk drug use	%	6.75 (4.21 - 9.29)	7.17 (4.47 - 9.86)	
Adults (aged 15-64) with high-risk stimulants use	number	10 415 (3 600 - 17 200)	10 544 (3 600 - 17 200)	
Proportion of adults (aged 15-64) with high-risk stimulants use	%	2.25 (0.78 - 3.72)	2.39 (0.83 - 3.95)	
Adults (aged 15-64) with high-risk cannabis use	number	21 986 (12 100 - 31 900)	24 604 (14 110 - 35 098)	
Proportion of adults (aged 15-64) with high-risk cannabis use	%	4.75 (2.62 - 6.88)	5.57 (3.20 - 7.95)	
Adults (aged 15-64) with problem drug use [4]	number	18 849 (17 917 - 19 890)	17 574 (8 698 - 26 450)	
Proportion of adults (aged 15-64) with problem drug use	%	4.07 (3.87 - 4.30)	3.98 (1.97 - 5.99)	
Adults (aged 15-64) with injecting drug use in the last year	number	14 156 (13 615 - 14 697)	9 841 (9 184 - 10 499)	
Proportion of adults (aged 15-64) with injecting drug use in the last year	%	3.06 (2.94 - 3.18)	2.23 (2.08 - 2.38)	

PREVENTION

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Implemented school activities for prevention of drug use and drug abuse, based on the "life skills" approach	number	1 399	1 155	MES
Students covered in programs and campaigns for prevention of drug use and drug abuse	number	51 973	213 573	
Trained specialists (psychologists, teachers) for prevention work in schools	number	3 779	2 717	
Implemented prevention activities based on the peer-to-peer approach	number	1 342	631	
Implemented prevention activities aimed at working with parents	number	356	550	
Trained professionals to work with parents	number	3 078	3 150	
Developed and /or disseminated information materials for prevention	number	109 624	40 770	
Persons covered from PIC and MDC	number	193 287	140 981	MH
Proportion of universal prevention in registered prevention activities	%	89	86	PIC, MDC, NFP
Proportion of selective prevention in registered prevention activities	%	8	3	
Proportion of indicated prevention in registered prevention activities	%	2	4	
Proportion of environmental prevention in registered prevention activities	%	1	7	
Proportion of activities related to community involvement	%	17	16	
Proportion of activities related to peer influence	%	22	26	
Proportion of activities related to family/early childhood	%	19	21	

TREATMENT SYSTEM

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Slots in the wards for the treatment of addictions (until 31.12.) [5]	number	180	142	NCPHA
Persons under dispensary observation in hospitals with a diagnosis of mental and behavioral disorders due to use of psychoactive substances (F11-F19)	number	1 106	1 063	
Hospitalized case (discharged persons) in hospitals with a diagnosis of mental and behavioral disorders due to use of opioids (F11)	number	237	223	
OST programmes (until 31.12)	number	30	29	
Slots available in OST programmes (until 31.12)	number	4 102	3 874	
Slots occupied in OST programmes (until 31.12)	number	3 072	3 031	
Proportion of occupied slots with methadone in OST programmes in the total number of all occupied slots in OST programmes	%	96.3	96.9	

Programmes for psychosocial rehabilitation and reintegration	number	14	14	NCPHA
Slots in programmes for psychosocial rehabilitation and reintegration	number	342	333	
Clients started a treatment in the programmes for psychosocial rehabilitation and reintegration	number	817	702	
Clients completed a treatment in the programmes for psychosocial rehabilitation and reintegration	number	513	414	
Clients interrupted a treatment in the programmes for psychosocial rehabilitation and reintegration	number	215	197	
Clients in drug treatment at national level (total)	number	6 249	5 780	NFP
Clients in inpatient drug treatment at national level	number	1 630	1 646	
Clients in outpatient drug treatment at national level	number	4 619	4 134	
Clients with drug-related emergencies	number	3 152	2 022	NCPHA

DRUG-RELATED TREATMENT DEMAND

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Registered clients in the National system for treatment demand	number	1 709	1 506	NFP
Proportion of TDI clients with heroin and other opioids use as primary drug	%	69.1	58.7	
Proportion of female TDI clients	%	19.5	24.8	
Mean age at entering treatment of TDI clients	years	31.7	31.6	
Mean age at first use of the primary drug among TDI clients	years	19.2	19.6	
Proportion of TDI clients with first use of the primary drug up to 19 years of age	%	45.7	45.2	
Proportion of school and university students among TDI clients	%	6.6	7.2	
Proportion of TDI clients without education	%	4.6	4.6	
Proportion of TDI clients who are not part of the main ethnic group in the country	%	20.8	19.7	
Proportion of TDI clients regularly employed	%	23.1	18.0	
Proportion of TDI clients unemployed	%	34.4	37.8	
Proportion of TDI clients with health insurance	%	60.2	52.1	
Proportion of TDI clients who are homeless	%	2.1	1.6	
Proportion of TDI clients with daily use of the primary drug	%	37.3	31.0	
Proportion of TDI clients with injecting drug use of the primary drug	%	46.7	41.2	
Mean age at first injecting drug use among TDI clients	years	20.5	21.1	
Proportion of TDI clients with duration of drug use more than 5 years	%	72.6	69.1	
Proportion of TDI clients ever shared needles/syringe in their lifetime	%	31.5	18.7	
Proportion of TDI clients shared needles/syringe in the last 30 days	%	5.3	2.7	
Proportion of TDI clients living with other drug user(s)	%	11.7	9.9	
Proportion of TDI clients never previously treated	%	30.3	29.7	

DRUG-RELATED HARM REDUCTION

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Harm reduction programmes in the field of drug addiction at the end of the year	number	4	4	NCPHA
Direct contacts with clients of the harm reduction programmes	number	13 123	15 953	
Individual clients (total) covered by the harm reduction programmes	number	1 688	2 455	
Individual clients (male) covered by the harm reduction programmes	number	1 401	2 075	
Individual clients (female) covered by the harm reduction programmes	number	287	380	
New individual clients (total) covered by the harm reduction programmes	number	1 089	354	
Contacts with clients on the field of the harm reduction programmes	number	3 184	3 482	
Clients reached on the field by the harm reduction programmes	number	440	705	
Safe needles and syringes distributed by the harm reduction programmes	number	124 746	56 457	MH, NCPHA

DRUG-RELATED INFECTIOUS DISEASES

Indicator (variable)	Measure	Last data available		Source
		2018	2019	
HIV diagnoses in people infected through injecting drug use	number	37	14	ECDC
Proportion of HIV diagnoses in people infected through injecting drug use in the total number of the new HIV diagnoses in Bulgaria	%	14.3	7.0	
HIV diagnoses in males infected through injecting drug use	number	29	13	
HIV diagnoses in females infected through injecting drug use	number	8	1	
AIDS diagnoses in people infected through injecting drug use	number	18	5	
Proportion of AIDS diagnoses in people infected through injecting drug use in the total number of the new AIDS diagnoses in Bulgaria	%	26.5	11.6	
AIDS diagnoses in males infected through injecting drug use	number	14	3	
AIDS diagnoses in females infected through injecting drug use	number	4	2	
Positive tests for HIV among injecting drug users in Sofia	number	49	37	SPHTDAA
Proportion of positive tests for HIV among injecting drug users tests in Sofia	%	12.8	14.6	
Positive tests for Hepatitis C among injecting drug users in Sofia	number	300	187	
Proportion of positive tests for Hepatitis C among injecting drug users tests in Sofia	%	78.3	69.3	
Positive tests for Hepatitis B among injecting drug users in Sofia	number	22	9	
Proportion of positive tests for Hepatitis B among injecting drug users tests in Sofia	%	5.9	7.6	
Positive tests for syphilis among injecting drug users in Sofia	number	26	13	
Proportion of positive tests for syphilis among injecting drug users tests in Sofia	%	7.4	5.1	

DRUG-RELATED DEATHS

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Drug-related deaths (total)	number	11	24	NSI
Drug-related deaths (male)	number	11	21	
Drug-related deaths (female)	number	0	3	
Proportion of male drug-related deaths in the total number of drug-related deaths	%	100.0	87.5	
Proportion of drug-related deaths aged 25-39 in the total number of drug-related deaths	%	100.0	70.8	
Mean age (total) of the drug-related deaths	years	30.4	33.9	
Mean age (male) of the drug-related deaths	years	30.4	34.7	
Mean age (female) of the drug-related deaths	years	-	30.7	
Mortality rate (total) due to drug poisoning among population	1 / 100 000	0.16	0.35	
Mortality rate (male) due to drug poisoning among population	1 / 100 000	0.33	0.63	
Mortality rate (female) due to drug poisoning among population	1 / 100 000	-	0.08	
Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs , not elsewhere classified (X41)	number	-	3	
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified (X42)	number	8	14	
Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified, undetermined intent (Y12)	number	2	6	
Deaths consequence of mental and behavioural disorders due to the use of psychoactive substances (F codes)	number	1	1	

EARLY WARNING SYSTEM (EWS)

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
New psychoactive substances registered in the Early Warning System in Bulgaria	number	18	38	NIFS-MI, Customs, MMA NFP, EWS
New psychoactive substances registered for the first time in the Early Warning System in Bulgaria	number	3	11	
Seizures of new psychoactive substances in Bulgaria registered in the Early Warning System	number	119	1 445	
Quantity of new psychoactive substances in Bulgaria registered in the Early Warning System	number	3 436.97	23 025.99	
Seizures of synthetic cannabinoids in Bulgaria registered in the Early Warning System	number	107	1 414	
Quantity of synthetic cannabinoids in Bulgaria registered in the Early Warning System	gram	2 392.66	14 443.23	
New psychoactive substances under control (included in the List of Regulation)	number	8	10	

DRUG SUPPLY REDUCTION

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Detained persons by the authorities of the Ministry of Interior under "Drugs"	number	9 243	7 238	MI
Realized specialized police operations by the authorities of the Ministry of Interior under "Drugs"	number	5 519	5 411	
Identified new drug gatherings and places for selling drugs	number	333	335	
Observed pre-trial proceedings for drug-related crimes [6]	number	13 079	12 223	SCP
New pre-trial proceedings for drug-related crimes	number	8 715	7 587	
Closed pre-trial proceedings for drug-related crimes	number	9 240	8 686	
Prosecutor acts submitted to court for drug-related crimes	number	3 415	3 558	
Drug-related crimes closed with conviction (total)	number	2 865	2 795	NSI
Drug-related crimes closed with conviction committed by men	number	2 684	2 600	
Drug-related crimes closed with conviction committed by women	number	181	195	
Persons convicted (total) for drug-related crimes [7]	number	2 376	2 347	
Persons convicted (male) for drug-related crimes	number	2 221	2 162	
Persons convicted (female) for drug-related crimes	number	155	185	
Persons under 18 years old attended the Child Pedagogic Office for anti-social behaviour related to use of psychoactive substances	number	643	343	
Minor perpetrators (under 18 years old) of drug-related crimes	number	451	354	
Quantity seized of drugs	kg	50 987	73 537	MI, Customs, NFP
Quantity seized of opioids	kg	789	269	
Quantity seized of cocaine	kg	318	963	
Quantity seized of stimulants	kg	203	467	
Quantity seized of cannabis	kg	49 652	52 148	

DRUG PURITY

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
Mean level of purity (content of active substance) in herbal cannabis samples on retail market	%	9.0	10.4	NIFS-MI
Mean level of purity (content of active substance) in heroin samples on retail market	%	30.0	39.2	
Mean level of purity (content of active substance) in cocaine samples on retail market	%	57.0	50.7	
Mean level of purity (content of active substance) in amphetamine samples on retail market	%	15.1	15.4	
Mean level of purity (content of active substance) in methamphetamine samples on retail market	%	55.4	61.0	
Mean level of purity (content of active substance) in ecstasy (tablets) samples on retail market	%	35.2	35.9	

RETAIL MARKET LEVEL PRICES OF DRUGS

Indicator (variable)	Measure	Last data available		Source
		2019	2020	
The most common price for 1 g of cannabis	euro	5	5	MI, PIC, MDC, NGOs, NFP
The most common price for cannabis (cigarette)	euro	5	5	
The most common price for 1 g of heroin (unspecified)	euro	31	25	
The most common price for 1 g of cocaine	euro	61	61	
The most common price for 1 g of amphetamine	euro	7.5	10	
The most common price for 1 g of ecstasy	euro	7.5	10	

[1] Drug use – use of opioids (heroin, methadone, morphine, codeine, etc.), stimulants (cocaine, amphetamines, methamphetamines, ecstasy), hallucinogens (LSD, hallucinogenic mushrooms), synthetic cannabinoids, inhalants.

[2] Drug use in prisons – use of opioids (heroin, methadone, buprenorphine, fentanyl), stimulants (cocaine, amphetamines, methamphetamines, ecstasy), hallucinogens (LSD, hallucinogenic mushrooms, ketamine), GHB/GBL, inhalants, new psychoactive substances with effects of heroin, marijuana, amphetamines. The use inside prison refers to the current prison.

[3] High-risk drug use is associated with a high-intensity and risk model of opioid, stimulant and cannabis use over the last 12 months.

[4] Problem drug use is associated with a high-intensity and risk model of opioid and stimulant use over the last 12 months.

[5] Includes state psychiatric hospitals, mental health centres and psychiatric clinics.

[6] Drug-related crimes – includes crimes under Article 242 (2) and (3) and Articles 354a-354c of the Criminal Code.

[7] Crimes registered in previous years are also included.

List of Abbreviations

ECDC – European Centre for Disease Prevention and Control

ESPAD – European School Survey Project on Alcohol and Other Drugs

EWS – Early Warning System

MDC – Municipal Drugs Councils

MES – Ministry of Education and Science

MH – Ministry of Health

MI – Ministry of Interior

MMA – Military Medical Academy

NCPHA – National Center of Public Health and Analyses

NFP – National Focal Point on Drugs and Drug Addictions

NGOs – Non-governmental organizations

NIFS – National Institute of Forensic Sciences (MI)

NPS – New psychoactive substances


NSI – National Statistical Institute

PIC – Prevention and Information Centres


SCP – Supreme Cassation Prosecution

SPHTDAA – State Psychiatric Hospital for Treatment of Drug Addictions and Alcoholism

DRUG USE AMONG THE GENERAL POPULATION (ADULTS AGED 15-64)




**DRUG USE AMONG THE GENERAL POPULATION (ADULTS AGED 15-64)
(PROPORTION BY DRUGS)**




Source: National Focal Point on Drugs and Drug Addictions, NCPHA

**NUMBER OF CLIENTS REGISTERED IN THE NATIONAL SYSTEM FOR TREATMENT DEMAND
IN RELATION TO DRUG USE IN BULGARIA
OVER THE PERIOD 2000 – 2020**




**CAPACITY OF OST PROGRAMMES IN BULGARIA
OVER THE PERIOD 2006 – 2020**




Source: National Focal Point on Drugs and Drug Addictions, NCPHA

**PROPORTION OF THE TDI CLIENTS
WITH INJECTING DRUG USE OF THE PRIMARY DRUG
OVER THE PERIOD 2008 – 2020**




**Source: Study on treatment demand in relation to drug use,
National Focal Point on Drugs and Drug Addictions, NCPHA**

**INDIVIDUAL CLIENTS REACHED BY THE HARM REDUCTION PROGRAMMES
OVER THE PERIOD 2010 – 2020**




Source: National Center of Public Health and Analyses

**HIV DIAGNOSES
IN PEOPLE INFECTED THROUGH INJECTING DRUG USE IN BULGARIA
OVER THE PERIOD 2006 – 2020**




**AIDS DIAGNOSES
IN PEOPLE INFECTED THROUGH INJECTING DRUG USE IN BULGARIA
OVER THE PERIOD 2007 – 2020**




Source: European Centre for Disease Prevention and Control (ECDC)

PRE-TRIAL PROCEEDINGS FOR DRUG-RELATED CRIMES OVER THE PERIOD 2007 – 2020



Source: Prosecutor's Office of Republic of Bulgaria

DRUG-RELATED CRIMES CLOSED WITH CONVICTION AND CONVICTED PERSONS OVER THE PERIOD 2007 – 2020



Source: National Statistical Institute